



Public Health
Prevent. Promote. Protect.


Triage and Scenario



By Bryan Lewis

Triage

Triage: Is a rapid approach to prioritizing a large number of patients



Simple Triage And Rapid Treatment

Triage

- Triage should be performed RAPIDLY
- Utilize START Triage to determine priority
- 30–60 seconds per patient
- Affix tag on left upper arm or leg



Triage

1. Scene Safety BSI and Identify number of patients, and types of injuries, communicate to EMS
2. Clear the “walking wounded” with verbal instruction: If you can hear me and you can move, walk to... (Use a PA System if Possible)
3. Direct patients to the casualty collection point (CCP) or treatment area for detailed assessment and medical care Green Minor Manager/Triage Officer will be the area to control patients and manage area
4. Green tag will be issued at the CCP These patients may be classified as MINOR

START Triage

Now use START to assess and categorize the remaining patients...

USE Color System



START-Triage

Now categorize the patients by assessing each patient's **RPM**s...

- ✓ **R**espirations
- ✓ **P**ulse
- ✓ **M**ental Status

START—RPM

RESPIRATIONS

Is the patient breathing?

Yes

Adult – respirations > 30 = Red/Immediate

Pediatric – respirations < 15 or > 45 = Red/Immediate

Adult – respirations < 30 = check pulse

Pediatric – respirations > 15 and < 45 = check pulse

START—RPM

RESPIRATIONS

Is the Patient Breathing?

No

Reposition the airway...

Respirations begin = **IMMEDIATE/RED**

If patient doesn't breath

- Adult – deceased = BLACK
- Pediatric: Pulse Present – give 5 rescue breaths
- respirations begin = **IMMEDIATE/RED**
- absent respirations – deceased = BLACK

START—RPM

Pulse

Is the RADIAL pulse present?

Is capillary refill (CR) LESS than < 2 seconds?

Yes

Check mental status


No

Adult: Pulse absent or CR > 2 seconds patient =

IMMEDIATE/RED

Pediatric: No palpable pulse patient

= **IMMEDIATE/RED**



START-RPM

MENTAL STATUS...

Can the patient follow simple commands?

Yes

Adult = DELAYED / YELLOW

Pediatric: alert, verbal, or pain response is appropriate =
DELAYED / YELLOW

No

Adult = IMMEDIATE / RED

Pediatric – “P” pain causes inappropriate posturing or “U” unresponsive to noxious stimuli = IMMEDIATE/
RED

START Triage


Life Saving Interventions

If the patient is IMMEDIATE/RED upon initial assessment...then, before moving the patient to the treatment area, attempt only life-saving interventions:

Airway, Tourniquet, Antidote

DO NOT ATTEMPT ANY OTHER TREATMENT AT THIS TIME

Triage chart



Category Descriptions

Black/Expectant	Red/Immediate	Yellow/Delayed	Green/Walking Wounded
Apneic/Pulseless/Agonal Breathing	RR= >30 Cap Refill 2 or more/ No Radial Pulse Can't Follow Commands	Can obey commands, has good ABC's/RPM	Can walk away from area
Victim Unlikely to survive with current resources and injuries Includes: Exposed brain matter, decapitation, injuries incompatible with life	Victim can be helped with given resources if care is given immediately. Includes: Compromises to ABC's, i.e chest wounds, abdominal wounds, heavy bleeding	Transport can be delayed. Includes: serious and potentially life-threatening injuries, but status not expected to change immediately. I.e long bone fractures	Can walk away. Includes minor scrapes, sprained or broken wrists, ankles. Injuries not expected to deteriorate for days

Scenario

What will happen?

- You will be given a scenario
 - A deck of patient cards
 - Color Coded triage Paper (Tarps)
 - And several ambulances
 - Broken up into several groups
-
- Your goal is to triage those patients based on START and move them to the correct Casualty Collection Point
 - Set up your ICS structure- Who will be in charge?
 - Once completed, you will assign transport priority to the patients (You have limited transportation resources, so you can only send several patients at a time)
 - Re-assess patients when needed- Triage is a continuous process
 - After the activity we will discuss strengths and weaknesses of what we did
 - Set up your ICS structure- Who will be in charge?

After initial sorting,
the first transport
units arrive to take
your patients

-Who gets transported first?

-3 units are available for transport



Hotwash/Discussion

Let's discuss:

- What went well?
- What didn't go so well?
- What could we do to better respond as a unit?
- Any comments or feedback on the exercise?